

ANTIFOAM AF 80


Foam Suppressor for Water Systems

Technical Information

PHYSICAL DATA

Physical form:	liquid
Specific gravity:	0,975
Weight Lbs/Gal:	8,12
Flashpoint °F, TCC:	none

USAGE AREAS



DESCRIPTION

White emulsion of silicone fluid. Odorless and tasteless. Contains no harmful substances, suitable for fresh water generator.

APPLICATION

To kill foam in water systems and to prevent carry over of solutions. This extremely efficient and economical solution will allow liquid levels to stabilize and provide proper entry for designed process flow.

DIRECTION FOR USE

Use continuously by injection dosing pump or spraying. Usually start with 20 ppm and reduce amount depending on foam quantity.

HANDLING

Uniservice Unisafe ANTIFOAM AF 80 is generally regarded as non-toxic. Please see safety data sheet.

IMPORTANT NOTICE

While the descriptions, designs, data and information contained herein are presented in good faith and believed to be accurate, this information is provided for your guidance only. Because many factors may affect processing or application/use, we recommend that you do a test to determine the suitability of a product for your particular purpose prior to use. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding products described or designs, data or information set forth, or that the products, designs, data or information may be used without infringing the intellectual property rights of others. In no case shall the descriptions, information, data or designs provided be considered a part of our terms and conditions of sale. Further, you expressly understand and agree that the descriptions, designs, data and information furnished by Uniservice Unisafe Srl hereunder are given gratis, and Uniservice Unisafe Srl assumes no obligation or liability for the description, designs, data and information given or results obtained, all such being given and accepted at your risk.