

SOLVENT CR-E


Powerful solvent emulsifier for removal of heavy oils

Technical Information

PHYSICAL DATA

Appearance:	yellow liquid
Density:	0,88 @ 20°C
Flash Point:	over 65°C
Corrosive action:	None

USAGE AREAS



DESCRIPTION

- Powerful solvent emulsifier.
- Heavy duty DPP remover
- Cleans down to metal surfaces
- Fast and effective usage

APPLICATION

Break down and separates residual combustion products and by-products of distillation of mineral oils.

- Heavy fuel heaters
- Filters for lubricants or fuel oils
- Heat exchange units in oil refineries
- Oil coolers
- Machine parts: pistons, piston rings, valve springs, connecting rods, etc.

DIRECTIONS FOR USE

Soaking

- Burner tips,
- Oil filters,
- Machine parts.

Most deposits can be removed at room temperature. If deposits are particularly hard to dissolve, heat up to a maximum of 50°C in a properly ventilated area.

SOLVENT CR-E

Circulation

- Heavy oil heaters
- Heat exchange units in refineries
- Oil coolers

Blow compressed air or steam through the system to begin with to remove as much as possible the residual oil.

IMPORTANT NOTICE

While the descriptions, designs, data and information contained herein are presented in good faith and believed to be accurate, this information is provided for your guidance only. Because many factors may affect processing or application/use, we recommend that you do a test to determine the suitability of a product for your particular purpose prior to use. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding products described or designs, data or information set forth, or that the products, designs, data or information may be used without infringing the intellectual property rights of others. In no case shall the descriptions, information, data or designs provided be considered a part of our terms and conditions of sale. Further, you expressly understand and agree that the descriptions, designs, data and information furnished by Uniservice Unisafe Srl hereunder are given gratis, and Uniservice Unisafe Srl assumes no obligation or liability for the description, designs, data and information given or results obtained, all such being given and accepted at your risk.